

Text Comparison

Documents Compared

en_30250002v010201p.pdf

en_30250002v020101p.pdf

Summary

633 word(s) added

1559 word(s) deleted

2562 word(s) matched

35 block(s) matched

To see where the changes are, please scroll down.

~~ETSI EN 302 500-2~~ ~~V1.2.1~~ (2008-06)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra WideBand (UWB) technology;
Location Tracking equipment operating in
the frequency range from 6 GHz to ~~8,5~~ GHz;
Part 2: Harmonized EN covering essential requirements
of article 3.2 of the R&TTE Directive**



ETSI EN 302 500-2 V2 1 1 (2010-10)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra WideBand (UWB) technology;
Location Tracking equipment operating in
the frequency range from 6 GHz to 9 GHz;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**



Reference

REN/ERM-~~TC310-257-2~~

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute ~~2000~~
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Reference

REN/ERM-TGLWB-009-2

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

| | |
|--|---------------|
| Intellectual Property Rights | 4 |
| Foreword | 4 |
| 1 Scope | 5 |
| 2 References | 5 |
| 2.1 Normative references | 5 |
| 2.2 Informative references | 6 |
| 3 Definitions, symbols and abbreviations | 6 |
| 3.1 Definitions | 6 |
| 3.2 Symbols | 6 |
| 3.3 Abbreviations | 6 |
| 4 Technical requirements specifications | 6 |
| 4.1 Environmental profile | 6 |
| 4.2 Conformance requirements | 6 |
| 4.2.1 Transmitter requirements | 6 |
| 4.2.1.1 Maximum mean equivalent isotropically radiated power spectral density | 6 |
| 4.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density | 6 |
| 4.2.1.3 Maximum peak equivalent isotropically radiated power | 7 |
| 4.2.1.4 Minimum Pulse Repetition Frequency (PRF) | 7 |
| 4.2.2 Receiver requirements | 7 |
| 4.2.2.1 Maximum receiver spurious radiations | 7 |
| 4.3 Design requirements | 7 |
| 5 Testing for compliance with technical requirements | 7 |
| 5.1 Environmental conditions for testing | 7 |
| 5.2 Essential radio test suites | 7 |
| 5.2.1 Transmitter test suites | 7 |
| 5.2.1.1 Maximum mean e.i.r.p. spectral density | 7 |
| 5.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density | 7 |
| 5.2.1.3 Maximum peak e.i.r.p. | 7 |
| 5.2.2 Receiver test suites | 8 |
| 5.2.2.1 Receiver spurious radiations | 8 |
| 5.3 Interpretation of measurement results | 8 |
| Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT) | 9 |
| Annex B (informative): The EN title in the official languages | 11 |
| Annex C (informative): Bibliography | 13 |
| History | 14 |

Contents

| | |
|--|-----------|
| Intellectual Property Rights | 4 |
| Foreword | 4 |
| 1 Scope | 5 |
| 2 References | 5 |
| 2.1 Normative references | 5 |
| 2.2 Informative references | 5 |
| 3 Definitions, symbols and abbreviations | 6 |
| 3.1 Definitions | 6 |
| 3.2 Symbols | 6 |
| 3.3 Abbreviations | 6 |
| 4 Technical requirements specifications | 6 |
| 4.1 Environmental profile | 6 |
| 4.2 Conformance requirements | 6 |
| 4.2.1 Transmitter requirements | 6 |
| 4.2.1.1 Maximum mean equivalent isotropically radiated power spectral density | 6 |
| 4.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density | 6 |
| 4.2.1.3 Maximum peak equivalent isotropically radiated power | 6 |
| 4.2.1.4 Indirect Detect-And-Avoid (DAA) | 7 |
| 4.2.2 Receiver requirements | 7 |
| 4.2.2.1 Maximum receiver spurious radiations | 7 |
| 5 Testing for compliance with technical requirements | 7 |
| 5.1 Environmental conditions for testing | 7 |
| 5.2 Essential radio test suites | 7 |
| 5.2.1 Transmitter test suites | 7 |
| 5.2.1.1 Maximum mean e.i.r.p. spectral density | 7 |
| 5.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density | 7 |
| 5.2.1.3 Maximum peak e.i.r.p. | 7 |
| 5.2.1.4 Indirect Detect-And-Avoid (DAA) | 7 |
| 5.2.2 Receiver test suites | 8 |
| 5.2.2.1 Receiver spurious radiations | 8 |
| 5.3 Interpretation of measurement results | 8 |
| Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT) | 9 |
| Annex B (informative): The EN title in the official languages | 11 |
| Annex C (informative): Bibliography | 12 |
| History | 13 |

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document is part 2 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to ~~8,5~~ GHz, as identified below:

Part 1: "Technical characteristics and ~~test methods~~";

Part 2: "Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive".

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive") [i.2].

~~Technical specifications~~ relevant to Directive 1999/5/EC [i.2] are ~~given~~ in annex A.

National transposition dates

| | |
|--|------------------------------|
| Date of adoption of this EN: | 27 June 2008 |
| Date of latest announcement of this EN (doa): | 30 September 2008 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 March 2009 |
| Date of withdrawal of any conflicting National Standard (dow): | 31 March 2010 |

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document is part 2 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz, as identified below:

Part 1: "Technical characteristics and methods of measurement";

Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive") [i.2].

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

| National transposition dates | |
|--|------------------------|
| Date of adoption of this EN: | <u>5 October 2010</u> |
| Date of latest announcement of this EN (doa): | <u>31 January 2011</u> |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 <u>July 2011</u> |
| Date of withdrawal of any conflicting National Standard (dow): | 31 <u>July 2012</u> |

1 Scope

The present document specifies the requirements for ultra-wideband Location Tracking equipment operating in all or part of the frequency range from 6 GHz to ~~8,5~~ GHz.

The present document applies for indoor as well as portable or mobile outdoor applications.

It covers ultra-wideband location tracking tags which are attached to people or objects and are tracked using a fixed receiver infrastructure to only receive the UWB emission by the tags. Equipment covered by the present document is fitted with an integral or dedicated antenna.

The present document is intended to cover the provisions of ~~Article~~ 3.2 of Directive 1999/5/EC (~~R&TTE Directive~~ ~~1.2~~), which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- ~~For a specific reference, subsequent revisions do not apply.~~
- ~~Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:~~
 - ~~if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;~~
 - ~~for informative references.~~

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

~~For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.~~

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are ~~indispensable~~ for the application of ~~this document~~. ~~For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.~~

- [1] ETSI EN 302 500-1 (~~V1.2.1~~): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to ~~8,5 GHz~~, Part 1: ~~Technical characteristics and test methods~~".

1 Scope

The present document specifies the requirements for ultra-wideband Location Tracking equipment operating in all or part of the frequency range from 6 GHz to 9 GHz.

The present document applies for indoor as well as portable or mobile outdoor applications.

It covers ultra-wideband location tracking tags which are attached to people or objects and are tracked using a fixed receiver infrastructure to only receive the UWB emission by the tags. Equipment covered by the present document is fitted with an integral or dedicated antenna.

The present document is intended to cover the provisions of article 3.2 of Directive 1999/5/EC [i.2] R&TTE Directive, which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 302 500-1 (V2 1 1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 1: Technical characteristics and methods of measurement".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).

2.2 Informative references

The following referenced documents are not ~~essential to the use of the ETSI deliverable~~ but they assist the user with regard to a particular subject area. ~~For non-specific references, the latest version of the referenced document (including any amendments) applies.~~

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.2] and EN 302 500-1 [1] apply.

3.2 Symbols

For the purposes of the present document, the symbols given in EN 302 500-1 [1] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in EN 302 500-1 [1] apply.

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the provider. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

4.2.1 Transmitter requirements

4.2.1.1 Maximum mean equivalent isotropically radiated power spectral density

The maximum mean equivalent isotropically radiated power (e.i.r.p.) spectral density shall not exceed the limits specified in clause ~~8.2.3~~ of EN 302 500-1 [1].

4.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density

The frequency of the highest maximum mean equivalent isotropically radiated power (e.i.r.p.) spectral density shall not lie outside the limits specified in EN 302 500-1 [1], clause ~~8.3.3~~.

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.2] and EN 302 500-1 [1] apply.

3.2 Symbols

For the purposes of the present document, the symbols given in EN 302 500-1 [1] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in EN 302 500-1 [1] apply.

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the provider. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

4.2.1 Transmitter requirements

4.2.1.1 Maximum mean equivalent isotropically radiated power spectral density

The maximum mean equivalent isotropically radiated power (e.i.r.p.) spectral density shall not exceed the limits specified in clause [8.1.3](#) of EN 302 500-1 [1].

This requirement applies to all transmitters.

4.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density

The frequency of the highest maximum mean equivalent isotropically radiated power (e.i.r.p.) spectral density shall not lie outside the limits specified in EN 302 500-1 [1], clause [8.2.3](#).

This requirement applies to all transmitters.

4.2.1.3 Maximum peak equivalent isotropically radiated power

The maximum peak equivalent isotropically radiated power (e.i.r.p.) shall not exceed the limits specified in clause [8.3.3](#) of EN 302 500-1 [1].

This requirement applies to all transmitters.

4.2.1.3 Maximum peak equivalent isotropically radiated power

The maximum peak equivalent isotropically radiated power (e.i.r.p.) shall not exceed the limits specified in clause ~~8.4.3~~ of EN 302 500-1 [1].

~~4.2.1.4 Minimum Pulse Repetition Frequency (PRF)~~

~~The minimum Pulse Repetition Frequency (PRF) shall comply with the limit specified in clause 8.5.3 of EN 302 500-1 [1].~~

This requirement applies to ~~transmitters using impulsive UWB signals.~~

4.2.2 Receiver requirements

4.2.2.1 Maximum receiver spurious radiations

The receiver spurious radiations as defined in EN 302 500-1 [1], clause 9.1.1, shall not exceed the limit specified in EN 302 500-1 [1], clause 9.1.3.

~~4.3 Design requirements~~

~~The equipment shall comply with the additional design requirements as defined in annex C of EN 302 500-1 [1].~~

5 Testing for compliance with technical requirements

5.1 Environmental conditions for testing

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile.

Where technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions (within the boundary limits of the declared operational environmental profile) to give confidence of compliance for the affected technical requirements.

5.2 Essential radio test suites

5.2.1 Transmitter test suites

5.2.1.1 Maximum mean e.i.r.p. spectral density

The test defined in clause ~~8.2.2~~ of EN 302 500-1 [1] shall be carried out.

5.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density

The test defined in clause ~~8.3.2~~ of EN 302 500-1 [1] shall be carried out.

5.2.1.3 Maximum peak e.i.r.p.

The ~~test defined in clause 8.4.2~~ of EN 302 500-1 [1] shall be carried out.

4.2.1.4 Indirect Detect-And-Avoid (DAA)

The equipment shall meet the design requirements for Indirect Detect-And-Avoid (DAA) as specified in EN 302 500-1 [1], clause 8.4.2.

Furthermore, the maximum mean equivalent isotropically radiated power (e.i.r.p.) spectral density and maximum peak e.i.r.p. as measured in Non-Interference Mode and non-NIM operation mode, shall not exceed the limits specified in clause 8.4.4 of EN 302 500-1 [1].

This requirement applies to all transmitters operating in the range 8.5 GHz to 9 GHz.

4.2.2 Receiver requirements

4.2.2.1 Maximum receiver spurious radiations

The receiver spurious radiations as defined in EN 302 500-1 [1], clause 9.1.1, shall not exceed the limit specified in EN 302 500-1 [1], clause 9.1.3.

5 Testing for compliance with technical requirements

5.1 Environmental conditions for testing

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile.

Where technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions (within the boundary limits of the declared operational environmental profile) to give confidence of compliance for the affected technical requirements.

5.2 Essential radio test suites

5.2.1 Transmitter test suites

5.2.1.1 Maximum mean e.i.r.p. spectral density

The test defined in clause 8.1.2 of EN 302 500-1 [1] shall be carried out.

This test suite applies to all transmitters.

5.2.1.2 Frequency of highest maximum mean e.i.r.p. spectral density

The test defined in clause 8.2.2 of EN 302 500-1 [1] shall be carried out.

This test suite applies to all transmitters.

5.2.1.3 Maximum peak e.i.r.p.

The test defined in clause 8.3.2 of EN 302 500-1 [1] shall be carried out.

This test suite applies to all transmitters.

5.2.1.4 Indirect Detect-And-Avoid (DAA)

The tests defined in clause 8.4.3 of EN 302 500-1 [1] shall be carried out.

This requirement applies to all transmitters operating in the range 8.5 GHz to 9 GHz.

5.2.2 Receiver test suites

5.2.2.1 Receiver spurious radiations

The test defined in clause 9.1.2 of EN 302 500-1 [1], shall be carried out.

5.3 Interpretation of measurement results

Clause 7 of EN 302 500-1 [1] shall apply.

5.2.2 Receiver test suites

5.2.2.1 Receiver spurious radiations

The test defined in clause 9.1.2 of EN 302 500-1 [1], shall be carried out.

5.3 Interpretation of measurement results

Clause 7 of EN 302 500-1 [1] shall apply.

Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT)

The HS Requirements and conformance Test specifications Table (HS-RTT) in table A.1 serves a number of purposes, as follows:

- it provides a statement of all the requirements in words and by cross reference to (a) specific clause(s) in the present document or to (a) specific clause(s) in (a) specific referenced document(s);
- it provides a statement of all the test procedures corresponding to those requirements by cross reference to (a) specific clause(s) in the present document or to (a) specific clause(s) in (a) specific referenced document(s);
- it qualifies each requirement to be either:
 - Unconditional: meaning that the requirement applies in all circumstances; or
 - Conditional: meaning that the requirement is dependent on the manufacturer having chosen to support optional functionality defined within the schedule.
- in the case of Conditional requirements, it associates the requirement with the particular optional service or functionality;
- it qualifies each test procedure to be either:
 - Essential: meaning that it is included with the Essential Radio Test Suite and therefore the requirement shall be demonstrated to be met in accordance with the referenced procedures;
 - Other: meaning that the test procedure is illustrative but other means of demonstrating compliance with the requirement are permitted.

Table A.1: HS Requirements and conformance Test specifications Table (HS-RTT)

| Harmonized Standard EN 302 500-2 | | | | | | |
|---|---|----------------------|----------------------------|---|--------------------|----------------------|
| The following requirements and test specifications are relevant to the presumption of conformity under article 3.2 of the R&TTE Directive | | | | | | |
| Requirement | | | Requirement Conditionality | | Test Specification | |
| No | Description | Reference: Clause No | U/C | Condition | E/O | Reference: Clause No |
| 1 | Maximum mean equivalent isotropically radiated power spectral density | 4.2.1.1 | U | | E | 5.2.1.1 |
| 2 | Frequency of highest maximum mean e.i.r.p. spectral density | 4.2.1.2 | U | | E | 5.2.1.2 |
| 3 | Maximum peak e.i.r.p. | 4.2.1.3 | U | | E | 5.2.1.3 |
| 4 | Minimum Pulse Repetition Frequency | 4.2.1.4 | U | Applies to transmitters using impulsive UWB signals | ✗ | |
| 5 | Maximum receiver spurious radiations | 4.2.2.1 | U | | E | 5.2.2.1 |
| 6 | Design requirements | 4.3 | U | | E | - |

Key to columns:

Requirement:

No A unique identifier for one row of the table which may be used to identify a requirement or its test specification.

Description A textual reference to the requirement.

Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT)

The HS Requirements and conformance Test specifications Table (HS-RTT) in table A.1 serves a number of purposes, as follows:

- it provides a statement of all the requirements in words and by cross reference to (a) specific clause(s) in the present document or to (a) specific clause(s) in (a) specific referenced document(s);
- it provides a statement of all the test procedures corresponding to those requirements by cross reference to (a) specific clause(s) in the present document or to (a) specific clause(s) in (a) specific referenced document(s);
- it qualifies each requirement to be either:
 - Unconditional: meaning that the requirement applies in all circumstances; or
 - Conditional: meaning that the requirement is dependent on the manufacturer having chosen to support optional functionality defined within the schedule.
- in the case of Conditional requirements, it associates the requirement with the particular optional service or functionality;
- it qualifies each test procedure to be either:
 - Essential: meaning that it is included with the Essential Radio Test Suite and therefore the requirement shall be demonstrated to be met in accordance with the referenced procedures;
 - Other: meaning that the test procedure is illustrative but other means of demonstrating compliance with the requirement are permitted.

Table A.1: HS Requirements and conformance Test specifications Table (HS-RTT)

| Harmonized Standard EN 302 500-2 | | | | | | |
|--|---|-----------------------------|-----------------------------------|--|---------------------------|-----------------------------|
| The following requirements and test specifications are relevant to the presumption of conformity under <u>the</u> article 3.2 of the R&TTE Directive | | | | | | |
| Requirement | | | Requirement Conditionality | | Test Specification | |
| No | Description | Reference: Clause No | U/C | Condition | E/O | Reference: Clause No |
| 1 | Maximum mean equivalent isotropically radiated power spectral density | 4.2.1.1 | U | | E | 5.2.1.1 |
| 2 | Frequency of highest maximum mean e.i.r.p. spectral density | 4.2.1.2 | U | | E | 5.2.1.2 |
| 3 | Maximum peak e.i.r.p. | 4.2.1.3 | U | | E | 5.2.1.3 |
| 4 | <u>Indirect Detect-And-Avoid (DAA)</u> | <u>4.2.1.4</u> | <u>C</u> | <u>Applies for equipment operating in the range 8.5 GHz to 9 GHz</u> | <u>E</u> | <u>5.2.1.4</u> |
| 5 | Maximum receiver spurious radiations | 4.2.2.1 | U | | E | 5.2.2.1 |

Key to columns:

Requirement:

No A unique identifier for one row of the table which may be used to identify a requirement or its test specification.

Description A textual reference to the requirement.

Clause Number Identification of clause(s) defining the essential requirement in the present document unless another document is referenced explicitly.

Requirement Conditionality:

U/C Indicates whether the requirement is to be *unconditionally* applicable (U) or is *conditional* upon the manufacturers claimed functionality of the equipment (C).

Condition Explains the conditions when the requirement shall or shall not be applicable for a technical requirement which is classified "conditional".

Test Specification:

E/O Indicates whether the test specification forms part of the *Essential Radio Test Suite* (E) or whether it is one of the *Other Test Suite* (O).

NOTE: All tests whether "E" or "O" are relevant to the requirements. Rows designated "E" collectively make up the Essential Radio Test Suite; those designated "O" make up the Other Test Suite; for those designated "X" there is no test specified corresponding to the requirement. The completion of all tests classified "E" as specified with satisfactory outcomes is a necessary condition for a presumption of conformity. Compliance with requirements associated with tests classified "O" or ~~"X"~~ is a necessary condition for presumption of conformity, although conformance with the requirement may be claimed by an equivalent test or by manufacturer's assertion supported by appropriate entries in the technical construction file.

Clause Number Identification of clause(s) defining the test specification in the present document unless another document is referenced explicitly. Where no test is specified (that is, where the previous field is "X") this field remains blank.

Clause Number Identification of clause(s) defining the essential requirement in the present document unless another document is referenced explicitly.

Requirement Conditionality:

U/C Indicates whether the requirement is to be *unconditionally* applicable (U) or is *conditional* upon the manufacturers claimed functionality of the equipment (C).

Condition Explains the conditions when the requirement shall or shall not be applicable for a technical requirement which is classified "conditional".

Test Specification:

E/O Indicates whether the test specification forms part of the *Essential Radio Test Suite* (E) or whether it is one of the *Other Test Suite* (O).

NOTE: All tests whether "E" or "O" are relevant to the requirements. Rows designated "E" collectively make up the Essential Radio Test Suite; those designated "O" make up the Other Test Suite; for those designated "X" there is no test specified corresponding to the requirement. The completion of all tests classified "E" as specified with satisfactory outcomes is a necessary condition for a presumption of conformity. Compliance with requirements associated with tests classified "O" is a necessary condition for presumption of conformity, although conformance with the requirement may be claimed by an equivalent test or by manufacturer's assertion supported by appropriate entries in the technical construction file.

Clause Number Identification of clause(s) defining the test specification in the present document unless another document is referenced explicitly. Where no test is specified (that is, where the previous field is "X") this field remains blank.

Annex B (informative): The EN title in the official languages

| Language | EN title |
|------------|--|
| Bulgarian | Електромагнитна съвместимост и въпроси на радиоспектъра (ERM); Радиосъоръжения с малък обхват на действие (SRD); използващи сверхширокополосова (UWB) технология; Съоръжения за локализиране и проследяване, работещи в честотния обхват от 6 GHz до 8,5 GHz; Част 2: Хармонизиран европейски стандарт (EN), покриващ съществените изисквания на член 3.2 от Директивата за радиосъоръжения и крайни далекосъобщителни устройства (R&TTE) |
| Czech | Elektromagnetická kompatibilita a rádiové spektrum (ERM); Zařízení krátkého dosahu používající technologii velmi širokého pásma (UWB); Zařízení pro sledování polohy pracující v kmitočtovém rozsahu od 6 GHz do 8,5 GHz; Část 2: Harmonizovaná EN pokrývající základní požadavky článku 3.2 Směrnice R&TTE |
| Danish | Elektromagnetisk kompatibilitet og Radiospektrum Anliggerender (ERM); Apparater med kort rækkevidde (SRD) som benytter Ultra-Bredbånds (UWB) teknologi; Stedbestemmelsesudstyr der benytter frekvensbåndet 6 GHz til 8,5 GHz; Del 2: Harmoniseret EN som dækker de væsentlige krav i R&TTE direktivets artikel 3.2 |
| Dutch | Elektromagnetische compatibiliteit en radiospectrumkwesties (ERM); Apparatuur voor kort bereik (SRD) die gebruik maakt van ultra-breedband technologie; Positie volgsysteem apparatuur in het frequentiegebied van 6 GHz tot 8,5 GHz; Deel 2: Geharmoniseerde EN welke invulling geeft aan de essentiële eisen van artikel 3.2 van de R&TTE richtlijn |
| English | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra-WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 8,5 GHz; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive |
| Estonian | Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Ultralaiba (UWB) tehnoloogiat kasutavad lähitoimeseadmed; Raadiosagedusalas 6 GHz kuni 8,5 GHz töötavad jälgimisseadmed; Osa 2: Harmoniseeritud EN R&TTE direktiivi artikli 3.2 põhinõuete alusel |
| Finnish | Elektromagneettinen yhteensopivuus ja radiospektriasiat (ERM); UWB teknologiaa käyttävät lyhyen kantaman laitteet (SRD); Taajuusalueella 6 - 8,5 GHz toimivat paikannuslaitteet; Osa 2: Yhdenmukaistettu standardi (EN), joka kattaa R&TTE-direktiivin artiklan 3.2 mukaiset olennaiset vaatimukset |
| French | Télécommunications - CEM et spectre radioélectrique (ERM); Appareils à courte portée (SRD); Appareils à courte portée (SRD) utilisant la technologie de bande ultra large (UWB) Equipements de géolocalisation opérant dans la bande de fréquence de 6GHz à 8,5 GHz. Partie 2: EN harmonisée sous couvert de l'article 3.2 de la Directive R&TTE |
| German | Elektromagnetische Verträglichkeit und Funkspektrumangelegenheiten (ERM); Funkanlagen mit geringer Reichweite (SRD), die Ultraweitbandtechnik (UWB) verwenden; Geräte zur Ortsverfolgung, die im Frequenzbereich von 6 GHz bis 8,5 GHz arbeiten; Teil 2: Harmonisierte EN, die wesentliche Anforderungen nach Artikel 3.2 der R&TTE Richtlinie enthält |
| Greek | Ηλεκτρομαγνητική Συμβατότητα και Θέματα Ραδιοφάσματος (ERM); Συσκευές μικρής εμβέλειας (SRD) που χρησιμοποιούν υπερευρυζωνική τεχνολογία (UWB); Εξοπλισμός ιχνηλάτησης θέσης που λειτουργεί στην περιοχή συχνοτήτων από 6 GHz ως 8,5 GHz; Μέρος 2: Εναρμονισμένο EN για την κάλυψη των ουσιωδών απαιτήσεων του άρθρου 3.2 της Οδηγίας R&TTE |
| Hungarian | Elektromágneses összeférhetőségi és rádióspektrumügyek (ERM); Ultraszéles sávú (UWB) technológiát használó kis hatótávolságú eszközök (SRD); A 6 GHz-től 8,5 GHz-ig terjedő frekvenciatarományban működő helyzetkövető berendezések; 2. rész: Az R&TTE irányelv 3. cikké (2) bekezdésének alapvető követelményeit tartalmazó, harmonizált európai szabvány |
| Icelandic | |
| Italian | |
| Latvian | Elektromagnētiskā sadarbība un radiofrekvenču spektra jautājumi (ERM); Maza darbības attāluma ierīces (SRD), kas izmanto ultraplātjoslas tehnoloģiju (UWB); Novietojuma izsekošanas iekārtas, kas strādā frekvenču joslā no 6 GHz līdz 8,5 GHz; 2.daļa: Harmonizēts Eiropas standarts (EN), kas atbilst R&TTE Direktīvas 3.2.punkta būtiskām prasībām |
| Lithuanian | Elektromagnetinio suderinamumo ir radijo dažnių spektro dalykai; Trumpojo nuotolio įtaisai; naudojantys ultraplaujosios juostos technologiją; Vietos sekimo įrenginiai; veikiančys dažnių juostoje nuo 6 GHz iki 8,5 GHz; 2 dalis; Darnasis Europos standartas, apimantis esminius 1999/5/EG direktyvos 3.2 straipsnio reikalavimus |
| Maltese | Kompatibilità elettromanjetika u materji relatati ma' spettru radjofoniku (ERM); Apparati għal medda qasira (SRD) li juża teknoloġija Ultra Wide Band (UWB); tagħmir li jsejw fejn qiegħda xi haga li jopera fil-medda ta' frekwenzi 6 GHz sa 8,5 GHz; Parti 2: EN armonizzata li jkopri rekwiżiti essenzjali ta' l-artiklu 3.2 tad-Direttiva R&TTE |

Annex B (informative): The EN title in the official languages

The enlargement of the European Union (EU) resulted in a requirement from the EU for a larger number of languages for the translation of the titles of Harmonized Standards and mandated ENs that are to be listed in the Official Journal to support the implementation of this legislation.

For this reason the title translation concerning the present document can be consulted via the [e-approval](#) application.

| Language | EN title |
|------------|---|
| Norwegian | Elektromagnetisk kompatibilitet og Radiospektrumspørsmål (ERM); Kortdistanseutstyr (SRD) som anvender ultrabredbåndsteknologi (UWB); Lokasjonsopringoutstyr som opererer i frekvensområdet fra 6 GHz til 8,5 GHz; Del 2. Harmonisert EN som dekker de vesentligste krav i R&TTE-direktivets artikkel 3.2 |
| Polish | Kompatybilność elektromagnetyczna i zagadnienia widma radiowego (ERM) – Urządzenia bliskiego zasięgu (SRD) wykorzystujące technikę ultra szerokopasmową (UWB) – Trackingowe urządzenia lokalizacyjne pracujące w zakresie częstotliwości od 6 GHz do 8,5 GHz – Część 2: Zharmonizowana EN zapewniająca spełnianie zasadniczych wymagań zgodnie z artykułem 3.2 dyrektywy R&TTE |
| Portuguese | Assuntos de Espectro Radielétrico e Compatibilidade Electromagnética (ERM); Equipamentos de curto alcance (SRD) que utilizam tecnologia de Banda Ultra Larga (UWB); Equipamento de localização que opere na faixa de frequências de 6 GHz a 8,5 GHz; Parte 2: EN Harmonizada cobrindo os requisitos essenciais no âmbito do artigo 3.º, n.º 2, da Directiva R&TTE |
| Romanian | |
| Slovak | Elektromagnetická kompatibilita a záležitosti rádiového spektra (ERM) – Zariadenia s krátkym dosahom (SRD) využívajúce technológie ultraširokého pásma (UWB) – Zariadenia na sledovanie polohy pracujúce vo frekvenčnom rozsahu od 6 GHz do 8,5 GHz – Časť 2: Harmonizovaná EN vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice R&TTE |
| Slovenian | Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) – Naprave kratkega dosega (SRD), ki uporabljajo ultra širokopasovno (UWB) tehnologijo – Oprema za sledenje, ki deluje v frekvenčnem območju od 6 GHz do 8,5 GHz – 2. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE |
| Spanish | Cuestiones de compatibilidad electromagnética y espectro de radiofrecuencia (ERM); Dispositivos de Corto Alcance (SRD) que utilizan tecnología de banda ultra ancha (UWB), funcionando en la gama de frecuencias de 6 GHz a 8,5 GHz; Parte 2. Norma Europea (EN) armonizada cubriendo los requisitos esenciales según el artículo 3.2 de la Directiva R&TTE |
| Swedish | Elektromagnetisk kompatibilitet och radiospektrumfrågor (ERM); Kortdistansutrustning (SRD) som använder teknologi med extrem bandbredd (UWB); Utrustning för positionering arbetande i frekvensområdet från 6 GHz till 8,5 GHz; Del 2. Harmoniserad EN omfattande väsentliga krav enligt artikel 3.2 i R&TTE-direktivet |

Annex C (informative): Bibliography

ECC/DEC/(06)04: "ECC Decision of 24 March 2006 on the harmonized conditions for devices using Ultra-Wideband (UWB) technology in bands below 10.6 GHz".

ETSI TR 102 495-3: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band Sensor technology (UWB); Part 3: Location tracking applications type 1 operating in the frequency band from 6 GHz to 9 GHz for indoor and outdoor usage".

Annex C (informative): Bibliography

ECC/DEC/(06)04: "ECC Decision of 24 March 2006 on the harmonized conditions for devices using Ultra-Wideband (UWB) technology in bands below 10.6 GHz".

ETSI TR 102 495-3: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band Sensor technology (UWB); ~~System Reference Document~~ Part 3: Location tracking applications type 1 operating in the frequency band from 6 GHz to 9 GHz for indoor and outdoor usage".

History

| Document history | | |
|-------------------------|---------------------|--|
| V1.1.1 | February 2007 | Publication |
| V1.2.1 | <u>June 2008</u> | <u>Publication</u> |
| <u>V2.1.1</u> | <u>January 2010</u> | <u>Public Enquiry</u> <u>PE 20100511: 2010-01-11 to 2010-05-11</u> |
| <u>V2.1.1</u> | <u>August 2010</u> | <u>Vote</u> <u>V 20101005: 2010-08-06 to 2010-10-05</u> |
| <u>V2.1.1</u> | <u>October 2010</u> | <u>Publication</u> |

History

| Document history | | |
|-------------------|-----------------------|--|
| V1.1.1 | February 2007 | Publication |
| V1.2.1 | July 2007 | Public Enquiry PE 20071123 2007-07-25 to 2007-11-23 |
| V1.2.1 | April 2008 | Vote V 20080627 2008-04-28 to 2008-06-27 |
| V1.2.1 | June 2008 | Publication |
| | | |

