

## The ETSI Register of supplementary service codes

Service Title	Code
Abbreviated dialling, Packet selection	50
Alternative titles: Short code dialling	
<b>Service Definition</b>	
Abbreviated dialling is the possibility for a subscriber to make a call by sending a short code instead of a full number. Packet selection is the process of selecting the size of the short code package before the first number registration.	
<b>Source Reference</b>	
T/CAC S 10.5 A2, SF 1.1.3, T/CAC 02 E	

Service Title	Code
Abbreviated dialling, Registration	51
Alternative titles:	
<b>Service Definition</b>	
Abbreviated dialling is the possibility for a subscriber to make a call by sending a short code instead of a full number. Registration is the process of assigning a number to one of a list (or packet) of short codes allocated by the service provider.	
<b>Source Reference</b>	
T/CAC S 10.5 A2, SF 1.1.2, T/CAC 02 E	

Service Title	Code
Absent subscriber Date, Time, Tel. Number	20
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to have incoming calls automatically diverted to an announcement with subscriber selected Date, Time and Telephone Number, without message accepting capability.	
<b>Source Reference</b>	
SF 4.1.9	

Service Title	Code
Access priority	74
Alternative titles:	
<b>Service Definition</b>	
A supplementary service that enables a user to have preferential access to the system in times of radio link congestion.	
<b>Source Reference</b>	
ETS 300 392-10-09	

Service Title	Code
Advice of charge, Call set-up	461
Alternative titles:	
<b>Service Definition</b>	
The advice of charge at call set-up supplementary service provides the served user with information about the charging rates at the time of call establishment. The charge information given relates to the charges incurred on the network to which the served user is attached.	
<b>Source Reference</b>	
After ETS 300 178	

<b>Service Title</b>	<b>Code</b>
Advice of charge, During call, cumulative	462
Alternative titles:	
<b>Service Definition</b>	
The advice of charge, during call supplementary service provides the served user with cumulative charging information during the active phase of a call. Dependent on the option chosen at the time of subscription, the information can be sent for all calls, or on a per call basis. The charge information given relates to the charges incurred on the network to which the served user is attached.	
<b>Source Reference</b>	
T/CAC S 10.7 E, see also ETSI 300 179	

<b>Service Title</b>	<b>Code</b>
Advice of charge, During call, incremental	463
Alternative titles:	
<b>Service Definition</b>	
The advice of charge, during call supplementary service provides the served user with incremental charging information during the active phase of a call. Dependent on the option chosen at the time of subscription, the information can be sent for all calls, or on a per call basis. The charge information given relates to the charges incurred on the network to which the served user is attached.	
<b>Source Reference</b>	
T/CAC S 10.7 E, see also ETSI 300 179	

<b>Service Title</b>	<b>Code</b>
Advice of charge, End of call	464
Alternative titles:	
<b>Service Definition</b>	
The advice of charge at end of call supplementary service provides the served user with charging information for a call when the call is terminated. Dependent on the option chosen at the time of subscription, the information can be sent for all calls, or on a per call basis. The charge information given relates to the charges incurred on the network to which the served user is attached.	
<b>Source Reference</b>	
After ETSI 300 180, T/CAC 02 E	

<b>Service Title</b>	<b>Code</b>
Alarm call, casual	55
Alternative titles:	
<b>Service Definition</b>	
The possibility for a user to place an alarm call or calls to be made to his line within the next 24 hours at a time specified in advance by him and to hear an appropriate announcement when the call is answered.	
<b>Source Reference</b>	
SF 2.1.3	

<b>Service Title</b>	<b>Code</b>
Alarm call, programme	57
Alternative titles:	
<b>Service Definition</b>	
The possibility for a user to cause an alarm call to be made automatically to his line at the same time on certain days in accordance with a specified programme. The time and the programme of days to be specified in advance by the user. When the alarm call is answered an appropriate announcement is given	
<b>Source Reference</b>	
SF2.1.6	

<b>Service Title</b>	<b>Code</b>
Alarm Call Regular, Number of days	56
Alternative titles:	
<b>Service Definition</b>	
The possibility for a user to cause an alarm call or calls to be delivered to his line regularly at the same time on a number of consecutive days. This may be for a specified or unspecified period. The time and duration to be indicated in advance by the user. When the alarm call is answered an appropriate announcement is given	
<b>Source Reference</b>	
SF 2.1.4	

<b>Service Title</b>	<b>Code</b>
Ambience listening	841
Alternative titles:	
<b>Service Definition</b>	
A supplementary service which enables a control point to place a terminal into a special type of voice call teleservice whereby the called terminal transmits without any action from, or indication to, the called user.	
<b>Source Reference</b>	
ETS 300 392-10-21 (TETRA)	

<b>Service Title</b>	<b>Code</b>
Area selection	48
Alternative titles:	
<b>Service Definition</b>	
Area Selection (AS) allows an authorized user to define areas for selection and a served user to choose, on a call by call basis, a selected area to be used for establishing a call.	
<b>Source Reference</b>	
ETS 300 392 10-8 (TETRA)	

<b>Service Title</b>	<b>Code</b>
Automatic Personal Call	73
Alternative titles:	
<b>Service Definition</b>	
With prior indication from a subscriber an operator may be associated (may intervene in) with an automatically dialled call at the appropriate stage to determine if the wanted (called) person (party) is available.	
<b>Source Reference</b>	
SF 6.8	

<b>Service Title</b>	<b>Code</b>
Barring of Incoming Calls when roaming outside home PLMN country	351
Alternative titles:	
<b>Service Definition</b>	
With this barring service, calls which are terminated for the served mobile subscriber will be barred if the subscriber is roaming outside the PLMN country (i.e. the programme is active and operative). The ability to receive calls in the PLMN home country is unaffected (i.e. the programme is active and quiescent)	
<b>Source Reference</b>	
ETS 300 520 (GSM 02.88)	

<b>Service Title</b>	<b>Code</b>
Barring of Outgoing International calls	331
Alternative titles:	
<b>Service Definition</b>	
With this supplementary service, outgoing call set-up possibilities exist only to subscribers of the PLMN and the fixed networks of the country where the mobile subscriber is presently located. So the present PLMN may be the home PLMN or a visited PLMN, respectively the fixed network may be that of the home PLMN country or that of a visited PLMN country.	
<b>Source Reference</b>	
ETS 300 520 (GSM 02.88)	

<b>Service Title</b>	<b>Code</b>
Barring all Outgoing international calls except to the home country	332
Alternative titles:	
<b>Service Definition</b>	
This service makes it possible for a mobile subscriber to have barring of all outgoing calls except those directed to subscribers of the PLMN(s) and the fixed network(s) of the country where the mobile subscriber is presently located or to mobile subscribers of the home PLMN of the served mobile subscriber and to subscribers of the fixed network(s) in the home PLMN country..	
The ability of the served mobile subscriber to receive calls and to set-up emergency calls remains unaffected.	
<b>Source Reference</b>	
ETS 300 520 (GSM 02.88)	

<b>Service Title</b>	<b>Code</b>
Barring, all services	330
Alternative titles:	
<b>Service Definition</b>	
This code describes all call barring services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
ETSI 300 511	

<b>Service Title</b>	<b>Code</b>
Barring, Incoming calls	35
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to prevent all or certain incoming calls or messages to his telephone number. The service may be fully service provider controlled, or registered with a service provider but subscriber controlled, or barring category fully selected and controlled by the subscriber.	
The ability of the served subscriber to set up outgoing calls remains unaffected.	
<b>Source Reference</b>	
SF 3.2 ETSI 300 520 (GSM 02.88)	

<b>Service Title</b>	<b>Code</b>
Barring Incoming calls, all services	353
Alternative titles:	
<b>Service Definition</b>	
This code describes all incoming call barring services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
ETSI 300 511	

<b>Service Title</b>	<b>Code</b>
Barring, Outgoing calls	33
Alternative titles: Outgoing Call Barring	
<b>Service Definition</b>	
The service provides the possibility for a fixed or mobile subscriber to prevent all or certain outgoing calls and/or service control operations from his telephone line. The service may be fully service provider controlled, registered by the service provider but subscriber controlled or fully controlled by the subscriber. When all calls are barred, there are no outgoing call set-up possibilities, except for emergency calls.	
<b>Source Reference</b>	
SF 3.1.1, T/CAC S 10 A2 5.3. ETSI 300 520 (GSM 02.88)	

<b>Service Title</b>	<b>Code</b>
Barring Outgoing calls, all services	333
Alternative titles:	
<b>Service Definition</b>	
This code describes all outgoing call barring services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
ETSI 300 511	

<b>Service Title</b>	<b>Code</b>
Barring, Outgoing calls, subscriber selected	34
Alternative titles:	
<b>Service Definition</b>	
This service provides the subscriber with the possibility to prevent all or certain types of outgoing calls, messages and/or service control operations from his telephone line. When he applies the restriction the subscriber can select one or a number of types of restriction prescribed by the service provider.	
<b>Source Reference</b>	
SF 3.1.3	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Incoming Calls	93
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to register certain numbers so as to prevent incoming calls or messages from those numbers to his own number or to bar all incoming calls except calls originating from those numbers selected by the user.	
<b>Source Reference</b>	
SF 3.2.4	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Incoming Calls	930
Alternative titles:	
<b>Service Definition</b>	
This code describes all incoming call barring services and is used in the erase command dialogue.	
<b>Source Reference</b>	
TC AT-030024	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Incoming Calls, all but selected numbers barred	932
Alternative titles: White list	
<b>Service Definition</b>	
The possibility for a subscriber to bar all incoming calls or messages except calls originating from numbers selected by the subscriber.	
<b>Source Reference</b>	
SF 3.2.4, T/CAC S 10.5 5.2	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Incoming Calls, selected numbers barred	931
Alternative titles: Black list	
<b>Service Definition</b>	
The possibility for a customer to prevent incoming calls or messages from selected numbers to his own number.	
<b>Source Reference</b>	
SF 3.2.4, T/CAC S 10.5 5.2	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Outgoing Calls, all services	340
Alternative titles:	
<b>Service Definition</b>	
This code describes all outgoing call or message barring services and is used in the erase command dialogue.	
<b>Source Reference</b>	
TC AT-030024	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Outgoing Calls, selected numbers barred	341
Alternative titles: Black list	
<b>Service Definition</b>	
This service provides the subscriber with the possibility to prevent outgoing calls or messages from his telephone line to selected numbers.	
<b>Source Reference</b>	
TC AT-030024	

<b>Service Title</b>	<b>Code</b>
Barring, Selective, Outgoing Calls, all but selected numbers barred	342
Alternative titles: White list	
<b>Service Definition</b>	
This service provides the subscriber with the possibility to prevent all outgoing calls or messages from his telephone line except calls to selected numbers.	
<b>Source Reference</b>	
TC AT-030024	

<b>Service Title</b>	<b>Code</b>
Call authorised by dispatcher	86
Alternative titles:	
<b>Service Definition</b>	
The supplementary service Call Authorised by Dispatcher (CAD) ensures that predefined TETRA calls do not proceed without first being authorised by a dispatcher. The predefined user is forced to be authorised from the dispatcher before the request for service can proceed. The restricted user can be either the calling user (A) or the called user (B) or both.	
<b>Source Reference</b>	
ETS 300 392 11-06 (TETRA)	

<b>Service Title</b>	<b>Code</b>
Call Deflection	66
Alternative titles:	
<b>Service Definition</b>	
The Call Deflection supplementary service enables the served user to respond to an incoming call by requesting redirection of that call to another user. The CD supplementary service can only be invoked before the connection is established by the served user, i.e. in response to the offered call, or during the period that the served user is being informed of the call. The served user's ability to originate calls is unaffected by the CD supplementary service.	
<b>Source Reference</b>	
ETSI 300 202	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, all services	002
Alternative titles:	
<b>Service Definition</b>	
This code describes all call forwarding services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
ETS 300 511	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Busy	67
Alternative titles:	
<b>Service Definition</b>	
The Call Forwarding Busy supplementary service permits a served user to send to another number all incoming calls, or just those associated with a specific basic service, addressed to the users number and meeting busy. The served users outgoing calls are unaffected.	
<b>Source Reference</b>	
T/CAC S 10.5 E. A2 9.2	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Busy, One of a Group	68
Alternative titles:	
<b>Service Definition</b>	
This service allows a subscriber to have calls meeting busy indication to be forwarded to any one of a group of pre-selected numbers	
<b>Source Reference</b>	
SF 5.2. T/CAC S 10.5 9.10	

<b>Service Title</b>	<b>Code</b>
Call Forwarding Conditional, all services	004
Alternative titles:	
<b>Service Definition</b>	
This code describes all conditional call forwarding services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
ETS 300 511	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, No reply	61
Alternative titles:	
<b>Service Definition</b>	
This service permits a served user to send to another number all incoming calls, or just those associated with a specific basic service, which meet with no reply and are addressed to the users number. The served users outgoing calls are unaffected.	
<b>Source Reference</b>	
T/CAC S 10.5 A2 9.3 ETS 300 201	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, No reply, to Dictated Voice Message	64
Alternative titles:	
<b>Service Definition</b>	
This service gives a subscriber who cannot answer his calls because he is absent to divert these calls to a voice message dictated by the subscriber.	
<b>Source Reference</b>	
SF 4.1.23	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, No reply, to One of a Group	62
Alternative titles:	
<b>Service Definition</b>	
This service allows a subscriber to have calls which remain unanswered for a predetermined time to be forwarded to one of a group of pre-selected numbers.	
<b>Source Reference</b>	
SF 4.1.14	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Not Reachable	62
Alternative titles:	
<b>Service Definition</b>	
This service permits a called mobile subscriber to have the network send all incoming calls, or just those associated with a specific Basic service group, addressed to the called mobile subscriber's directory number, but which is not reachable, to another directory number. The ability of the served mobile subscriber to originate calls is principally unaffected, but practically it is affected if the mobile subscriber is de-registered, if there is radio congestion or if the mobile subscriber for example is being out of radio range.	
<b>Source Reference</b>	
GSM 02.82	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Selective, Registration	210
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to register the set of number (10 maximum) from which either all incoming calls will be diverted or offered in the normal manner all other calls being diverted.	
<b>Source Reference</b>	
SF 5.2.1	



<b>Service Title</b>	<b>Code</b>
Call Forwarding, Selective, certain numbers	211
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to forward to a nominated number only those calls from a pre-determined set of numbers.	
<b>Source Reference</b>	
After SF 5.2.1	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Selective, all but certain numbers	212
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to forward to a nominated number all calls except those from a pre-determined set of 10 numbers.	
<b>Source Reference</b>	
After SF 5.2.1	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Unconditional to any number	21
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to have all incoming calls or messages, or just those associated with a specified basic service, addressed to the served users number, to be forwarded to another number. The served users outgoing calls are unaffected. If CFU is activated calls are forwarded no matter what the condition of the termination.	
<b>Source Reference</b>	
T/CAC S 10.5 A2 9.1	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Unconditional to Announcement	24
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to have all incoming calls to be forwarded to a fixed announcement. The caller may be invited to leave a message.	
<b>Source Reference</b>	
SF 4.1.11, 4.1.12	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Unconditional to Dictated Voice Message	29
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to have all incoming calls forwarded to an announcement service with a voice message pre-recorded by the subscriber.	
<b>Source Reference</b>	
SF 4.1.5	

<b>Service Title</b>	<b>Code</b>
Call Forwarding Unconditional, to fixed number	22
Alternative titles:	
<b>Service Definition</b>	
This supplementary service permits a served user to have all incoming calls, or just those associated with a specified basic service, addressed to the served users number, to be forwarded to another number. The served users outgoing calls are unaffected. If CFU is activated calls are forwarded no matter what the condition of the termination.	
<b>Source Reference</b>	
T/CAC S 10.5 A2 9.1	

<b>Service Title</b>	<b>Code</b>
Call Forwarding, Unconditional, to Operator	23
Alternative titles:	
<b>Service Definition</b>	
This service allows a subscriber to have incoming calls to be forwarded to an operator.	
<b>Source Reference</b>	
SF 5.1	

<b>Service Title</b>	<b>Code</b>
Call Hold	94, SO 2
Alternative titles:	
<b>Service Definition</b>	
The Call Hold Supplementary Service allows a user to interrupt communication on an existing call and then subsequently, if desired, to re-establish communication.	
<b>Source Reference</b>	
T/CAC S10 A2 13.1	

<b>Service Title</b>	<b>Code</b>
Call Rejection, for CLIR activation	934
Alternative titles: Anonymous call rejection	
<b>Service Definition</b>	
A call barring service which rejects incoming calls or messages from a source which has implemented Calling Line Identification Rejection.	
<b>Source Reference</b>	
ETSI STF117	

<b>Service Title</b>	<b>Code</b>
Call Rejection, no CLIP	935
Alternative titles: Anonymous call rejection	
<b>Service Definition</b>	
A call barring service which rejects incoming calls not associated with a Calling Line Identification Presentation.	
<b>Source Reference</b>	
ETSI STF117	

<b>Service Title</b>	<b>Code</b>
Call Return	92
Alternative titles:	
<b>Service Definition</b>	
This service provides the possibility to activate an automatic call back to the last number which called and received ringing tone, no reply.	
<b>Source Reference</b>	
SF 6.10.1	

<b>Service Title</b>	<b>Code</b>
Call Transfer, Explicit	96
Alternative titles: Explicit call transfer	
<b>Service Definition</b>	
This service enables a user who has two calls, either of which can be either an incoming or outgoing call, to connect the two parties together in the two calls.	
<b>Source Reference</b>	
T/CAC S 10.5 A2 13.3-1	

<b>Service Title</b>	<b>Code</b>
Call Waiting	43, SO 0,1,2,3,4
Alternative titles:	
<b>Service Definition</b>	
This service enables a busy user to be notified of an incoming call in a waiting position. The notification indicates that no information interface channel is available. The user then has the choice of accepting, rejecting or ignoring the waiting call making use of Switching Orders.	
<b>Source Reference</b>	
T/CAC S 10 A2 6.1	

<b>Service Title</b>	<b>Code</b>
Calling Line Identification Presentation	30
Alternative titles:	
<b>Service Definition</b>	
This service provides the called party with the possibility to receive identification of the calling party.	
<b>Source Reference</b>	
CAC 10 A2 14.3	

<b>Service Title</b>	<b>Code</b>
Calling Line Identification Presentation on Call Waiting	43, SO 1,2
Alternative titles:	
<b>Service Definition</b>	
A service which when an incoming call notified as Call Waiting is presented, also presents the calling party's identity.	
<b>Source Reference</b>	
ETS 300 091	

<b>Service Title</b>	<b>Code</b>
Calling Line Identification Restriction	31
Alternative titles:	
<b>Service Definition</b>	
This service enables the calling party to prevent presentation of its number to the called party.	
<b>Source Reference</b>	
T/CAC S 10 A2 14.4. ETS 300 090	

<b>Service Title</b>	<b>Code</b>
Calling Line Identification Restriction, Per call	31
Alternative titles:	
<b>Service Definition</b>	
If the calling party has subscribed to the CLIR supplementary service, the network shall normally invoke the restricted value for the service on a call by call basis, by default. The default value may be overridden by the subscriber on a call- by- call basis.	
<b>Source Reference</b>	
ETS 300 090	

<b>Service Title</b>	<b>Code</b>
Carrier Selection	09
Alternative titles:	
<b>Service Definition</b>	
This service allows the user to select a preferred carrier from a number of alternatives that may be available.	
<b>Source Reference</b>	
TC-HF, ETSI TR-101-092	

<b>Service Title</b>	<b>Code</b>
Closed User Group	01
Alternative titles:	
<b>Service Definition</b>	
This service enables users to form groups to and from which access is restricted. Members of a specific CUG can communicate among themselves, but not, in general, with users outside the group. Specific User group members can have additional capabilities that allow them to originate calls outside the group and/or to receive calls from outside the group.	
<b>Source Reference</b>	
T/CAC S 10 A2 5.1 SF 3.3.1	

<b>Service Title</b>	<b>Code</b>
Completion of Calls to Busy Subscriber	37
Alternative titles:	
<b>Service Definition</b>	
This service allows a calling user to A encountering a busy destination B to have the call completed when the busy destination B becomes idle, without having to make a new attempt	
<b>Source Reference</b>	
T/CAC S 10 A2 6.2 ETS 300 357 SF 3.3.1	

<b>Service Title</b>	<b>Code</b>
Conference call, 3-party	95
Alternative titles:	
<b>Service Definition</b>	
The 3-party Supplementary Service enables a user to establish a 3-party conversation, i.e. a simultaneous communication between the served user and two other parties.	
<b>Source Reference</b>	
T/CAC S 10 A2 13.2 ETS 300 186	

<b>Service Title</b>	<b>Code</b>
Conference call, Add on	71
Alternative titles:	
<b>Service Definition</b>	
This service provides a user with the possibility to have a multi-connection call with simultaneous two-way communication between more than two parties.	
<b>Source Reference</b>	
T/CAC S 10 A2 13.4 SF 11.2.3-11.2.6 ETS 300 183	

<b>Service Title</b>	<b>Code</b>
Conference call, Meet me	72
Alternative titles:	
<b>Service Definition</b>	
The Conference Call, Meet me supplementary service provides a user with the ability to arrange for a conference between more than two participants with all participants accessing the conference themselves.	
<b>Source Reference</b>	
T/CAC S 10 A2 13.5 ETS 300 164	

<b>Service Title</b>	<b>Code</b>
Connected Line Identification Presentation	76
Alternative titles:	
<b>Service Definition</b>	
This service enables the called party to receive at the establishment of the call an indication of the number of the connected line including possible additional address information.	
<b>Source Reference</b>	
T/CAC S 10 A2 14.3 ETS 399 094	

<b>Service Title</b>	<b>Code</b>
Connected Line Identification Restriction	77
Alternative titles:	
<b>Service Definition</b>	
This service enables the connected party to restrict presentation of the connected party's number to the calling party.	
<b>Source Reference</b>	
T/CAC S 10 A2 14.4 ETS 300 095	

<b>Service Title</b>	<b>Code</b>
Discreet listening	842
Alternative titles:	
<b>Service Definition</b>	
A facility whereby an authorised user may listen to one or more communications between subscribers without any indication to any user that the communication is being monitored.	
<b>Source Reference</b>	
ETS 300 392-10-20	

<b>Service Title</b>	<b>Code</b>
Distinctive Ringing	91
Alternative titles:	
<b>Service Definition</b>	
The possibility for a user to receive a distinctive ringing (call arrival indication) at his telephone when receiving calls from a set of numbers previously registered for this service.	
<b>Source Reference</b>	
SF 14.9.1	

<b>Service Title</b>	<b>Code</b>
Distribution list erase	710
Alternative titles:	
<b>Service Definition</b>	
This code is used in the erase command dialogue of a message distribution list.	
<b>Source Reference</b>	
TC AT	

<b>Service Title</b>	<b>Code</b>
Distribution list	711
Alternative titles: Multi messaging	
<b>Service Definition</b>	
A message service that permits messages from one user to be distributed to all users in a distribution list.	
<b>Source Reference</b>	
TC AT	

<b>Service Title</b>	<b>Code</b>
Do not disturb, announcement	26
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber who does not wish to answer his telephone to have incoming calls diverted to a common recorded announcement in the exchange. The announcement will give appropriate information to callers during the period of time the service is in operation.	
<b>Source Reference</b>	
SF 5.1.4	

<b>Service Title</b>	<b>Code</b>
Do not disturb, in hunt group	49
Alternative titles:	
<b>Service Definition</b>	
The supplementary service Do Not Disturb enables a served user to cause the PTN to reject any calls, or just those associated with a specified basic service, addressed to the served user's PTN or hunting group number. The calling user is given an appropriate indication. Incoming calls are rejected as long as the service is active. The served user's outgoing service is unaffected.	
<b>Source Reference</b>	
ETS 300 363	

<b>Service Title</b>	<b>Code</b>
Dynamic group number assignment	85
Alternative titles:	
<b>Service Definition</b>	
This supplementary service enables a served user dynamically to create, modify or delete groups of subscribers identified by a single group number.	
<b>Source Reference</b>	
After ETS 300 392-10-22	

<b>Service Title</b>	<b>Code</b>
Enhanced multi-level precedence and pre-emption	75 and 75n (n=0-4)
Alternative titles:	
<b>Service Definition</b>	
The enhanced Multi-Level Precedence and Pre-emption Service has two parts: precedence and pre-emption. Precedence involves assigning a priority level to a call in combination with fast call set-up. Pre-emption involves the seizing of resources, which are in use by a call of a lower precedence, by a higher level precedence call in the absence of idle resources. Pre-emption can also involve the disconnection of an on-going call of lower precedence to accept an incoming call of higher precedence.	
<b>Source Reference</b>	
GSM 02.67	

<b>Service Title</b>	<b>Code</b>
Fixed destination call	53
Alternative titles: Hot Line	
<b>Service Definition</b>	
The possibility for a subscriber to set up a call to a predetermined number, nominated by the subscriber, by lifting the handset only. The fixed destination is registered by the subscriber.	
<b>Source Reference</b>	
SF 1.2.2 T/CAC S 10 A2 1.2	

<b>Service Title</b>	<b>Code</b>
Fixed destination call, timed (with timeout)	53
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to set up a call to a predetermined number, nominated by the subscriber, by lifting the handset only. The predetermined number will be called after a short time period if dialling has not commenced during this period. The registration of the fixed destination and the deactivation of the service is done by the subscriber. The time out function enables the controlling subscriber to make normal outgoing calls from his terminal as well as to deactivate the service by means of the appropriate procedure. Incoming calls are not affected by the service.	
<b>Source Reference</b>	
Derived from SF 1.2.2 T/CAC S 10 A2 1.2	

<b>Service Title</b>	<b>Code</b>
General de-activation	001
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to deactivate all supplementary services activated on his line, except Abbreviated Dialling and services requiring keywords.	
<b>Source Reference</b>	
T/CAC S 10.5 E Annex 2, 10.2	

<b>Service Title</b>	<b>Code</b>
Home meter	45
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to have a meter at his own premises showing the number of call charge units debited.	
<b>Source Reference</b>	
SF 7.3.3 7.3.5	

<b>Service Title</b>	<b>Code</b>
Last Number repetition	52
Alternative titles:	
<b>Service Definition</b>	
The possibility for the subscriber to store the last number dialled and to be able to repeat that number by dialling a short code.	
<b>Source Reference</b>	
SF 6.2.1. T/CAC S 10 A2 1.3	

<b>Service Title</b>	<b>Code</b>
Late entry	65
Alternative titles:	
<b>Service Definition</b>	
This supplementary service allows radio users to be informed of and, if they are concerned, to join an already existing multipoint speech call.	
<b>Source Reference</b>	
ETS 300 392-10-14	

<b>Service Title</b>	<b>Code</b>
Line Hunting, Inhibit, Reduce	47
Alternative titles:	
<b>Service Definition</b>	
The automatic selection of a free line from a group of lines serving a subscriber on receipt of a call to that subscribers general directory number. The subscriber has the possibility to inhibit or reduce hunting.	
<b>Source Reference</b>	
SF 12.2 and 12.2.5	

<b>Service Title</b>	<b>Code</b>
Listening	84
Alternative titles:	
<b>Service Definition</b>	
Code allocated but service not described.	
<b>Source Reference</b>	
ETR 294 TETRA	

<b>Service Title</b>	<b>Code</b>
Malicious Call Identification	39
Alternative titles:	
<b>Service Definition</b>	
The Malicious Call Identification supplementary service enables a user to request that the source of an incoming call is identified and registered by the network.	
<b>Source Reference</b>	
ETS 300 128 CAC 10.7 A13	

<b>Service Title</b>	<b>Code</b>
Multiple subscriber profile	59n
Alternative titles:	
<b>Service Definition</b>	
Multiple Subscriber Profile is an optional service to enable mobile subscribers to have several profiles associated with a single SIM and a single IMSI, with each profile being a subscription option. Each profile may be used for mobile originated and mobile terminated calls. (n = 0 – 9)	
Up to four different profiles can be provisioned against a subscriber using the MSP feature. This will allow the subscriber to separate their telecommunication service needs into different identities (e.g. business and home).	
<b>Source Reference</b>	
GSM 02.97	

<b>Service Title</b>	<b>Code</b>
Multi Party Call	SO 1x, 2x, 3, 4
Alternative titles:	
<b>Service Definition</b>	
This supplementary service provides a mobile subscriber with the ability to have a multi-connection call, i.e. a simultaneous communication with more than one party.	
<b>Source Reference</b>	
ETS 300 517	



<b>Service Title</b>	<b>Code</b>
Paging Call Pickup	82
Alternative titles:	
<b>Service Definition</b>	
A subscriber being away from his telephone can pick up a call on his line by dialling his own number and/or possibly a special code from any other telephone, after being informed by means of a paging system that there is such a call.	
<b>Source Reference</b>	
SF 10.2	

<b>Service Title</b>	<b>Code</b>
Password Registration/Modification	03
Alternative titles:	
<b>Service Definition</b>	
This service permits a user to register a change to his password relating to the use of a supplementary service.	
<b>Source Reference</b>	
prETS 300 907 (GSM 02.30)	

<b>Service Title</b>	<b>Code</b>
Personal Identification Number (PIN) Registration	04
Alternative titles:	
<b>Service Definition</b>	
The service permits the user to change or register his PIN in the SIM on mobile networks.	
<b>Source Reference</b>	
prETS 300 907 (GSM 02.30)	

<b>Service Title</b>	<b>Code</b>
Personal Identification Number (PIN) Unblock	05
Alternative titles:	
<b>Service Definition</b>	
This service permits the user to change his PIN in the SIM on mobile networks without having first to enter the existing PIN.	
<b>Source Reference</b>	
derived from ETS 300 511	

<b>Service Title</b>	<b>Code</b>
Personal Identification Number 2 (PIN2) Registration	042
Alternative titles:	
<b>Service Definition</b>	
This service permits a user to change or register his PIN2 in the SIM on mobile networks.	
<b>Source Reference</b>	
prETS 300 907 (GSM 02.30)	

<b>Service Title</b>	<b>Code</b>
Personal Identification Number (PIN2) Unblock	052
Alternative titles:	
<b>Service Definition</b>	
This service permits the user to change his PIN2 in the SIM on mobile networks without having first to enter the existing PIN2.	
<b>Source Reference</b>	
derived from ETS 300 511	

<b>Service Title</b>	<b>Code</b>
Pre-emptive priority call, "Emergency"	750
Alternative titles:	
<b>Service Definition</b>	
This supplementary service enables a user to have network resources allocated at the highest level of priority in the case of an emergency even if this means that other calls with a lower priority have to be disconnected.	
<b>Source Reference</b>	
After ETS 300 392-11-16, ETR 294	

<b>Service Title</b>	<b>Code</b>
Pre-emptive priority call, level 1	751
Alternative titles:	
<b>Service Definition</b>	
This supplementary service enables a user to have network resources allocated even if this means that other calls with a lower priority have to be disconnected. Level 1 is the highest level of priority.	
<b>Source Reference</b>	
ETS 300 392-10-16, ETR 294	

<b>Service Title</b>	<b>Code</b>
Pre-emptive priority call, level 2	752
Alternative titles:	
<b>Service Definition</b>	
This supplementary service enables a user to have network resources allocated even if this means that other calls with a lower priority have to be disconnected. Level 2 is the second highest level of priority.	
<b>Source Reference</b>	
ETS 300 392-10-16, ETR 294	

<b>Service Title</b>	<b>Code</b>
Presentation of IMEI	06
Alternative titles:	
<b>Service Definition</b>	
A facility which causes a terminal to display its International Mobile station Equipment Identity (IMEI).	
<b>Source Reference</b>	
ETS 300 511	

<b>Service Title</b>	<b>Code</b>
Priority Call	75
Alternative titles:	
<b>Service Definition</b>	
The supplementary service, priority call, gives preferential access to the network resources to calls which have been sent with priority status.	
<b>Source Reference</b>	
ETS 300 392-10-10	

<b>Service Title</b>	<b>Code</b>
Priority call, levels 3 - 9	753- 759
Alternative titles:	
<b>Service Definition</b>	
This supplementary service enables a user to have network resources allocated even if this means that other calls with a lower priority have to be disconnected. Level 3 is a higher level of priority than level 9.	
<b>Source Reference</b>	
ETS 300 392-10-16, ETR 294	

<b>Service Title</b>	<b>Code</b>
Private Numbering Plan, Support of	07n
Alternative titles: Support of Private Numbering Plan	
<b>Service Definition</b>	
The Support of Private Numbering Plan (SPNP) supplementary service enables a subscriber to use a private numbering plan (PNP) for communication across one or more networks with mobile and fixed users. A PNP gives the capability to place calls by using digit sequences which may have different structures and meanings than provided by the public numbering plan. Up to 9 plans may be supported. Code 070 gives access to the public numbering plan.	
<b>Source Reference</b>	
GSM 02.95	

<b>Service Title</b>	<b>Code</b>
Queue service	38
Alternative titles:	
<b>Service Definition</b>	
The possibility for a subscriber to have his calls placed in a queue when all his lines are busy.	
<b>Source Reference</b>	
SF 6.9.1, T/CAC S 10.5 E	

<b>Service Title</b>	<b>Code</b>
Reverse Charging	83
Alternative titles:	
<b>Service Definition</b>	
A service allowing a called user to be charged for the actual communication, that is, for usage- based calls.	
<b>Source Reference</b>	
T/CAC S 10.5 A2 8.2, SF 7.9	

<b>Service Title</b>	<b>Code</b>
Sub Addressing	89
Alternative titles:	
<b>Service Definition</b>	
The Sub-addressing supplementary service allows the served user to expand his addressing capacity beyond the one given by his ISDN number. A sub-address, if presented by a calling user, is delivered unaffected to the called (served) user. Only the served user defines the significance of the sub-address.	
<b>Source Reference</b>	
T/CAC S 10.5 E 2.3	

<b>Service Title</b>	<b>Code</b>
Terminal Portability	79
Alternative titles:	
<b>Service Definition</b>	
This service allows a user to move a terminal from one socket to another within one basic access during the active state of a call.	
<b>Source Reference</b>	
T/CAC S 10.5E A2 18.6	

<b>Service Title</b>	<b>Code</b>
User to User Signalling	36
Alternative titles:	
<b>Service Definition</b>	
A service which allows a user to send or receive a limited amount of information to or from another user over the signalling channel in association with a call to the other user.	
<b>Source Reference</b>	
T/CAC S 10.5 11.3 ITU-T I.257.1	

<b>Service Title</b>	<b>Code</b>
User to User Signalling, All services	360
Alternative titles:	
<b>Service Definition</b>	
This code describes all user to user signalling services and is used in the deactivation command dialogue.	
<b>Source Reference</b>	
After GSM 02.87	

<b>Service Title</b>	<b>Code</b>
User to User Signalling, Service 1	361
Alternative titles:	
<b>Service Definition</b>	
A service which allows either user to include user to user information when accepting, rejecting or terminating a call. Service 1 also permits a calling subscriber to invoke the service with a call set-up and to terminate the call before connection is established.	
<b>Source Reference</b>	
GSM 02.87	

<b>Service Title</b>	<b>Code</b>
User to User Signalling, Service 2	362
Alternative titles:	
<b>Service Definition</b>	
A service which allows either user to transfer up to two user to user messages in each direction to the other user involved in a call at any time between activation of service 2 and the establishment of the connection.	
<b>Source Reference</b>	
GSM 02.87	

<b>Service Title</b>	<b>Code</b>
User to User Signalling, Service 3	363
Alternative titles:	
<b>Service Definition</b>	
A service which allows either user to transfer a defined amount of user to user information to the other user on a call after the connection has been established.	
<b>Source Reference</b>	
GSM 02.87	